

Quote Order

Date: _____

Sales Representative: _____

Dealer Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____

Email: _____

Shipping Method: Pick-Up Common Carrier

Account Number: _____

Projected Close Date: _____

Purchase Order Number: _____

Ship To Address: _____

Contact: _____

Phone: _____

Opportunity Reference / Project Name: _____

APPLICATION

VPL-R: Residential

VPL-C: Commercial
(includes: Lighted E-Stop/Alarm, Handrail)

INSTALLATION

OUTDOOR **HOISTWAY** **INDOOR**

MODEL

VPL400: 4' Vertical Platform Lift (up to 53" lift height)

VPL600: 6' Vertical Platform Lift (up to 77" lift height)

VPL800: 8' Vertical Platform Lift (up to 101" lift height)

VPL1000: 10' Vertical Platform Lift (up to 125" lift height)

VPL1200: 12' Vertical Platform Lift (up to 149" lift height)

VPL1400: 14' Vertical Platform Lift (up to 171" lift height)

Exact Lifting Height _____ inches
(Mandatory) *Note: Measure from Inside Pit (measured from top landing to floor)*

VPL-021 3-Stop Package: 3 Call/Send (must select VPL-C)

Middle Lifting Height _____ inches
(Mandatory for 3-stop orders)

TOWER CONFIGURATION

VPL-LH Left hand **VPL-RH** Right hand


BATTERY BACKUP OPTIONS

VPL-030 Standard READYUPS battery backup
(2, 12V at 12AH; VPL400-800 only)

VPL-033 Plus READYUPS battery backup (4, 12V at 12AH)

VPL-030CWP Standard UPS cold weather package

VPL-033CWP Plus UPS cold weather package



PLATFORM CONFIGURATION

| | | | | | |
|--------------------------|---------------------|---|--------------------------|---------------------|--|
| <input type="checkbox"/> | VPL-3648 | 36" x 48" x 36" straight through platform <i>(Not applicable for commercial application; No grab rail available; Must have folding ramp)</i> | <input type="checkbox"/> | VPL-4254 | 42" x 54" x 42" straight through platform |
| <input type="checkbox"/> | VPL-3654 | 36" x 54" x 42" straight through platform | <input type="checkbox"/> | VPL-4254-90R | 42" x 54" x 42" 90° right platform |
| <input type="checkbox"/> | VPL-3654-90R | 36" x 54" x 42" 90° right platform | <input type="checkbox"/> | VPL-4254-90L | 42" x 54" x 42" 90° left platform |
| <input type="checkbox"/> | VPL-3654-90L | 36" x 54" x 42" 90° left platform | <input type="checkbox"/> | VPL-4254-SS | 42" x 54" x 42" same side entry / exit platform <i>(Not applicable for VPL400-800)</i> |
| <input type="checkbox"/> | VPL-3654-SS | 36" x 54" x 42" same side entry / exit platform <i>(Not applicable for VPL400 - VPL800)</i> | <input type="checkbox"/> | VPL-4260 | 42" x 60" x 42" straight through platform |
| <input type="checkbox"/> | VPL-3660 | 36" x 60" x 42" straight through platform | <input type="checkbox"/> | VPL-4260-90R | 42" x 60" x 42" 90° right platform |
| <input type="checkbox"/> | VPL-3660-90R | 36" x 60" x 42" 90° right platform | <input type="checkbox"/> | VPL-4260-90L | 42" x 60" x 42" 90° left platform |
| <input type="checkbox"/> | VPL-3660-90L | 36" x 60" x 42" 90° left platform | <input type="checkbox"/> | VPL-4260-SS | 42" x 60" x 42" same side entry / exit platform <i>(Not applicable for VPL400 - VPL800)</i> |
| <input type="checkbox"/> | VPL-3660-SS | 36" x 60" x 42" same side entry exit platform <i>(Not applicable for VPL400 - VPL800)</i> | | | |

PLATFORM OPTIONS

| | | | | | |
|--------------------------|--------------------|---|--------------------------|--------------------|---|
| <input type="checkbox"/> | VPL-065-36 | 36" auto-fold ramp <i>(Not applicable for VPL1400)</i> | <input type="checkbox"/> | VPL-065-42 | 42" auto-fold ramp <i>(Not applicable for VPL1400)</i> |
| <input type="checkbox"/> | VPL-060-36F | 36" fixed ramp | <input type="checkbox"/> | VPL-060-42F | 42" fixed ramp |
| <input type="checkbox"/> | VPL-013-54 | 54" handrail <i>(residential applications)</i> <i>(Not applicable for 36" x 48" x 36")</i> | <input type="checkbox"/> | VPL-013-60 | 60" handrail <i>(residential applications)</i> <i>(Not applicable for 36" x 48" x 36")</i> |

PLATFORM GATES

| | | | | | |
|--------------------------|--------------------|---|--------------------------|--------------------|--|
| <input type="checkbox"/> | VPL-004-36R | 36" x 42" platform gate with EMI interlock, right <i>(Not applicable for 36" tall side panels)</i> | <input type="checkbox"/> | VPL-004-36L | 36" x 42" platform gate with EMI interlock, left <i>(Not applicable for 36" tall side panels)</i> |
| <input type="checkbox"/> | VPL-004-42R | 42" x 42" platform gate with EMI interlock, right <i>(Not applicable for 36" tall side panels)</i> | <input type="checkbox"/> | VPL-004-42L | 42" x 42" platform gate with EMI interlock, left <i>(Not applicable for 36" tall side panels)</i> |
| <input type="checkbox"/> | VPL-078-G | Automatic gate opener for platform gates | | | |

DOORS

| | | | | | |
|--------------------------|-----------------------------|---|--------------------------|-------------------------------|--|
| <input type="checkbox"/> | ___ qty VPL-078-D | Automatic door opener for full door | <input type="checkbox"/> | ___ qty VPL-008-WR | Wiring for interlocks provided by others |
| <input type="checkbox"/> | ___ qty VPL-008-KDL | Keyed dead latch for use with flush mount electric strike | <input type="checkbox"/> | ___ qty VPL-008L-EMI | EMI interlock for left hand door provided by others |
| <input type="checkbox"/> | ___ qty VPL-008R-EMI | EMI interlock for right hand door provided by others | <input type="checkbox"/> | ___ qty VPL-008W | Flush mount electric strike for wood doors by others |
| <input type="checkbox"/> | ___ qty VPL-008M | Flush mount electric strike for metal doors by others | <input type="checkbox"/> | ___ qty VPL-005-36R-ES | 36" fire-rated hoistway door with electric strike, right |
| <input type="checkbox"/> | ___ qty VPL-005-36R | 36" fire-rated hoistway door with EMI interlock, right | <input type="checkbox"/> | ___ qty VPL-005-36L-ES | 36" fire-rated hoistway door with electric strike, left |
| <input type="checkbox"/> | ___ qty VPL-005-36L | 36" fire-rated hoistway door with EMI interlock, left | <input type="checkbox"/> | ___ qty VPL-005-42R-ES | 42" fire-rated hoistway door with electric strike, right |
| <input type="checkbox"/> | ___ qty VPL-005-42R | 42" fire-rated hoistway door with EMI interlock, right | <input type="checkbox"/> | ___ qty VPL-005-42L-ES | 42" fire-rated hoistway door with electric strike, left |
| <input type="checkbox"/> | ___ qty VPL-005-42L | 42" fire-rated hoistway door with EMI interlock, left | | | |

LANDING GATES

- | | |
|--|---|
| <input type="checkbox"/> VPL-003-36R 36" x 42" landing gate with EMI interlock, right | <input type="checkbox"/> VPL-003-CS Call/send rocker switch for landing gate |
| <input type="checkbox"/> VPL-003-36L 36" x 42" landing gate with EMI interlock, left | <input type="checkbox"/> VPL-003-CSK Call/send rocker switch with key for landing gate |
| <input type="checkbox"/> VPL-003-42R 42" x 42" landing gate with EMI interlock, right | <input type="checkbox"/> VPL-078-LG Automatic opener for landing gate |
| <input type="checkbox"/> VPL-003-42L 42" x 42" landing gate with EMI interlock, left | |

CONTROLS / SWITCHES

- | | |
|--|---|
| <input type="checkbox"/> VPL-011 Lighted e-stop with audible alarm (<i>residential applications</i>) | <input type="checkbox"/> VPL-017-1 Wireless call/send controls for one (1) landing |
| <input type="checkbox"/> VPL-015K Keyed cab control | <input type="checkbox"/> VPL-017-2 Wireless call/send controls for two (2) landings |
| <input type="checkbox"/> ___ qty VPL-016 Call/send station control box, top/bottom (<i>each</i>) | <input type="checkbox"/> VPL-017-3 Wireless call/send controls for three (3) landings |
| <input type="checkbox"/> ___ qty VPL-016K Keyed call/send station control box, top/bottom (<i>each</i>) | <input type="checkbox"/> VPL-022 PIT switch (for non hoistway applications) |
| <input type="checkbox"/> VPL-KEY Spare key (<i>each</i>) | <input type="checkbox"/> VPL-026 Float level switch |
| <input type="checkbox"/> VPL-075 Phone jack | <input type="checkbox"/> ___ qty VPL-CK Chicago key upgrade for keyed controls (<i>each</i>) |
| <input type="checkbox"/> VPL-076 Emergency tower light, back-up | |

FASCIA PANELS AND BRACES

- | | |
|--|--|
| <input type="checkbox"/> VPL-062 Tower brace with bracket | |
| <input type="checkbox"/> VPL-341-24 Fascia panel 41" x 24" | |
| <input type="checkbox"/> VPL-341-53 Fascia panel 41" x 53" | |
| <input type="checkbox"/> VPL-341-CC Fascia panel 41", custom cut to height _____ <i>length to cut in inches</i> | |
| <input type="checkbox"/> VPL-347-24 Fascia panel 47" x 24" | |
| <input type="checkbox"/> VPL-347-53 Fascia panel 47" x 53" | |
| <input type="checkbox"/> VPL-347-CC Fascia panel 47", custom cut to height _____ <i>length to cut in inches</i> | |

SHIPPING OPTIONS

- | | |
|---|---|
| <input type="checkbox"/> FRT-LG Lift gate service required (<i>VPL400 only</i>) | <input type="checkbox"/> VPL-FL Fork lift service required |
| <input type="checkbox"/> VPL400-SS 4' shipping: Upright (<i>VPL400 only</i>) | |
| <input type="checkbox"/> VPL400-LD 4' shipping: Laid down (<i>VPL400 only</i>) | |
| <input type="checkbox"/> VPL400-URC 4' crated shipping: Upright (<i>VPL400 only</i>) | |
| <input type="checkbox"/> VPL400-LDC 4' crated shipping: Laid down (<i>VPL600 - VPL1400 only</i>) | |
| <input type="checkbox"/> VPL-SS 6' - 14' standard shipping: Laid down (<i>VPL600 - VPL1000 only</i>) | |
| <input type="checkbox"/> VPL-IC 4' - 10' international crated shipment (<i>VPL600 - VPL1000 only</i>) | |
| <input type="checkbox"/> VPL-IC TALL 12' - 14' international crated shipment (<i>VPL1200 - VPL1400 only</i>) | |

DRAWING FOR APPROVAL

An application-specific drawing is requested and **production will be scheduled after return of signed approval drawing.**
Upcharge if lift is not ordered within 90-days of drawing submission.

DRAWING FOR PRESENTATION

An application-specific drawing is requested and **order will be scheduled immediately for production.**

NOTE - VPL UNITS ARE SHIPPED LAYING DOWN. A LIFT GATE IS UNABLE TO BE USED ON MODELS 6' AND TALLER. VPL UNITS WILL REQUIRE A LOADING DOCK OR ARRANGEMENTS CAN BE MADE TO PICK-UP AT THE TERMINAL.

ADDITIONAL INFORMATION

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Prior to signing for the shipment, inspect the package carefully.

VISIBLE DAMAGE: You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

CONCEALED DAMAGE: If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit. We have personnel available to assist with this process

Monday – Friday, 7:30 am – 5:00 pm EST by calling **866-378-6648**.

On all VPL orders, Ameriglide will only warranty and support the Honeywell EMI part no. CDILBS1W or CDIRBS1W.

Thank you for your business!



I have read and understand the above:

Date: _____

Print Name: _____

Signature _____

Ameriglide Vertical Platform Lifts are designed to meet ASME A18.1 Performance Safety Standards when properly equipped. While Ameriglide Vertical Platform Lifts meet national standards, it is imperative to check State and Local code requirements before installing to ensure compliance. All State and Local compliance is the responsibility of the purchaser. Some states may require fees for site preparation and permits. Ameriglide Vertical Platform Lifts should only be installed by a certified, professional Ameriglide installer. If the Vertical Platform Lift is installed by any other means, the purchaser and installer assume responsibility for issues that may arise involving improper installation.